

Wireless Communication

Hwajung Lee

Key Reference:

Prof. Jong-Moon Chung's Lecture Notes at Yonsei University




Wireless Communications

- Bluetooth
- Wi-Fi
- Mobile Communications
- LTE
- LTE-Advanced




Downlink & Uplink































Basic Mobile Communications Structure

- Structure of the mobile phone cellular network
 - A network of radio base stations forming the base station subsystem.
 - The core circuit switched network for handling voice calls and text
 - A packet switched network for handling mobile data
 - The public switched telephone network (PSTN) to connect subscribers to the wider telephony network



Mobile Communications



- Mobile Phone Evolution
 - 1st Generation (1G)
 - AMPS
 - 2nd Generation (2G)
 - GSM, IS-95 (cdmaOne)
 - 3rd Generation (3G)
 - UMTS (WCDMA), CDMA2000
 - 4th Generation (4G)
 - LTE-A



List of Mobile Phone Generations

V·T·E Cellular network standards [hide]			
List of mobile phone generations			
0G (radio telephones)	MTS · MTA - MTB - MTC - MTD · IMTS · AMTS · OLT · Autoradiopuhelin · B-Netz		
1G	AMPS family	AMPS (TIA/EIA/IS-3, ANSI/TIA/EIA-553) · N-AMPS (TIA/EIA/IS-91) · TACS · ETACS	
	Other	NMT · C-450 · Hicap · Mobitex · DataTAC	
2 G	G SM/3GPP family	GSM · CSD · HSCSD	
	3GPP2 family	cdmaOne (TIA/EIA/IS-95 and ANSI-J-STD 008)	
	AMPS family	D-AMPS (IS-54 and IS-136)	
	Other	CDPD · iDEN · PDC · PHS	
2G transitional (2.5G, 2.75G)	G SM/3GPP family	GPRS · EDGE/EGPRS (UWC-136)	
	3GPP2 family	CDMA2000 1X (TIA/EIA/IS-2000) · CDMA2000 1X Advanced	
	Other	WIDEN	
3G (IMT-2000)	3GPP family	UMTS (UTRA-FDD / W-CDMA · UTRA-TDD LCR / TD-SCDMA · UTRA-TDD HCR / TD-CDMA)	
	3GPP2 family	CDMA2000 1xEV-DO Release 0 (TIA/IS-856)	
3G transitional (3.5G, 3.75G, 3.9G)	3GPP family	HSPA (HSDPA · HSUPA) · HSPA+ · LTE (E-UTRA)	
	3GPP2 family	CDMA2000 1xEV-DO Revision A (TIA/EIA/IS-856-A) • EV-DO Revision B (TIA/EIA/IS-856-B) • EV-DO Revision C	
	IEEE family	Mobile WiMAX (IEEE 802.16e) • Flash-OFDM • iBurst (IEEE 802.20)	
4G (IMT Advanced)	3GPP family	LTE Advanced (E-UTRA) · LTE Advanced pro (4.5G pro) · LTE Advanced(pre 5G) (4.9G)	
	IEEE family	WiMAX (IEEE 802.16m)	
Proposed	5G		
Related articles	Cellular networks · Mobile telephony · History · List of standards · Comparison of standards · Channel access methods · Spectral efficiency comparison table · Cellular frequencies · GSM frequency bands · UMTS frequency bands · Mobile broadband · NGMN Alliance · MIMO		



AMPS



- Advanced Mobile Phone System (AMPS)
 - 1st Generation (1G) mobile cellular phone
 - Analog standard using FDMA (Frequency Division Multiple Access)
 - Developed by Bell Labs
 - Introduced in North America in Oct. 1983



- Global System for Mobile Communications (GSM)
 - 2nd Generation (2G) mobile cellular phone: Digital system
 - Introduced in Finland in 1991
 - Dominant global standard
 - Over 90% market share
 - Operated in over 219 countries & territories





- Global System for Mobile Communications (GSM)
 - GSM uses TDMA & FDMA combined
 - TDMA (Time Division Multiple Access)
 - FDMA (Frequency Division Multiple Access)






- Global System for Mobile Communication (GSM)
 - GSM supports voice calls and data transfer speeds up to 9.6 kbps, and SMS (Short Message Service)







- SIM (Subscriber Identity Module)
 - SIM is a detachable smart card
 - SIM contains user subscription information and phone book







- SIM Advantages
 - SIM enables a user to maintain user information even after switching cellular phones
 - Or, by changing ones SIM a user can change cellular phone operators while using the same the mobile phone



IS-95: cdmaOne

- ° IS-95
 - IS-95 (Interim Standard 95) is the first CDMA based
 2G digital cellular standard
 - Why CDMA?
 CDMA performs well against (narrow band) interference and (multipath) signal fading
 - cdmaOne is the brand name for IS-95 that was developed by Qualcomm





IS-95: cdmaOne



- ° IS-95
 - Hutchison launched the first commercial cdmaOne network in Hong Kong in September 1995
 - IS-95 traffic channels support voice or data at bit rates of up to 14.4 kbps



UMTS

- Universal Mobile Telecommunications System (UMTS)
 - 3rd Generation (3G) mobile cellular system
 - Evolution of GSM
 - UTRA (UMTS Terrestrial Radio Access) supports several different terrestrial air interfaces





UMTS

- Universal Mobile Telecommunications System (UMTS)
 - Multiuser Access in UTRA can be supported by UTRA-FDD or UTRA-TDD
 - FDD (Frequency Division Duplex)
 - TDD (Time Division Duplex)





UMTS: WCDMA

- WCDMA (Wideband Code Division Multiple Access)
 - 3rd Generation (3G) mobile cellular system that uses the UTRA-FDD mode
 - 3GPP (3rd Generation Partnership Project)
 Release 99
 - Up to 2 Mbps data rate





UMTS: WCDMA



WCDMA

- First commercial network opened in Japan is 2001
- Seamless mobility for voice and packet data applications
- QoS (Quality of Service) differentiation for high efficiency of service delivery
- Simultaneous voice and data support
- Interworks with existing GSM networks



(C) YONSEI

- CDMA2000
 - 3G mobile cellular system
 - Standardized by 3GPP2
 - Evolution of IS-95 cdmaOne standards
 - Uses CDMA & TDMA
 - CDMA (Code Division Multiple Access)
 - TDMA (Time Division Multiple Access)







CDMA2000

 Initially used in North America and South Korea (Republic of Korea)





YONSEI

- CDMA2000 1xEV-DO
 - CDMA2000 1xEV-DO (Evolution-Data Optimized) enables
 2.4 Mbps data rate
 - CDMA2000 1xEV-DO network launched in South Korea on January 2002





- CDMA2000 1xEV-DO
 - Regarded as the first 3G system based on ITU standards
 - ITU (International Telecommunication Union) is the specialized agency for information and communication technology of the UN (United Nations)





HSDPA



- High-Speed Downlink Packet Access (HSDPA)
 - Enhanced 3G mobile communications protocol
 - Evolution of UMTS for higher data speeds and capacity
 - Belongs to the HSPA (High-Speed Packet Access) family of protocols





HSDPA



- High-Speed Downlink Packet Access (HSDPA)
 - HSDPA commercial networks became available in 2005
 - Peak Data Rate
 - Downlink: 14 Mbps (Release 5)





EV-DO Rev. A



- EV-DO Rev. A (Revision A)
 - Peak Data Rate
 - Downlink: 3.1 Mbps
 - Uplink: 1.8 Mbps
 - Launched in the USA on October 2006
 - VoIP support based on low latency and low bit rate communications





EV-DO Rev. A

YONSEI

- EV-DO Rev. A
 - Enhanced Access Channel MAC
 - Decreased connection establishment time
 - Multi-User Packet technology enables the ability for more than one user to share the same timeslot
 - QoS (Quality of Service) flags included for QoS control





HSPA+



- Evolved High-Speed Packet Access (HSPA+)
 - HSPA+ all IP network first launched in Hong Kong in 2009
 - WCDMA (UMTS) based 3G enhancement
 - HSPA+ is a HSPA evolution







HSPA+




- Evolved High-Speed Packet Access (HSPA+)
 - Peak Data Rate
 - Downlink: 168 Mbps
 - Uplink: 22 Mbps
 - MIMO (Multiple-Input & Multiple-Output) multiple-antenna technique applied
 - Why MIMO? MIMO uses uncorrelated multiple antennas both at the transmitter and receiver to increase the data rate while using the same signal bandwidth as a single antenna system.



HSPA+



- Evolved High-Speed Packet Access (HSPA+)
 - Higher Date Rate Accomplished by
 - MIMO multiple-antenna technique
 - Higher order modulation (64QAM)
 - Dual-Cell HSDPA is used to combine
 - multiple cells into one







- EV-DO Rev. B (Revision B)
 - EV-DO Rev. B was first deployed in Indonesia on January 2010
 - Multi-Carrier evolution of Rev. A
 - Higher data rates per carrier
 - Downlink Peak
 - 4.9 Mbps per carrier
 - Uplink Peak
 - 1.8 Mbps per carrier







- EV-DO Rev. B
 - Reduced latency from statistical multiplexing across channels
 - → Reduced delay → Improved QoS
 - Longer talk-time & standby time
 - Hybrid frequency re-use & Reduced interference at Cell Edges and Adjacent Sectors → Improved QoS at the Cell Edge





- EV-DO Rev. B
 - More Efficient Asymmetric Data Rate Support
 - Downlink ≠ Uplink Data Rates
 - Asymmetric Service Examples
 - File transfer
 - Web browsing
 - Multimedia content delivery
 - etc.





- Long-Term Evolution (LTE)
 - LTE launched in North American on September 2010 with the Samsung SCH-R900
 - Deployed on both GSM and the CDMA mobile operators







- Long-Term Evolution (LTE)
 - Peak Data Rate (Release 8)
 - Downlink: 300 Mbps
 - Uplink: 75 Mbps





LTE-A



- LTE-A (LTE-Advanced)
 - Considered as a 4G technology based on the ITU-R IMT-Advanced process
 - Peak Data Rate (Release 10)
 - Downlink: 3 Gbps
 - Uplink: 1.5 Gbps





LTE-A



- LTE-A (LTE-Advanced)
 - LTE-A incorporates higher order MIMO (4×4 and beyond) and allows multiple carriers to be bonded into a single stream





References

- H. Holma and A. Toskala, HSDPA/HSUPA for UMTS: High Speed Radio Access for Mobile Communications. John Wiley & Sons, 2007.
- A. R. Mishra, *Advanced Cellular Network Planning and Optimisation:* 2G/2.5G/3G...Evolution to 4G. John Wiley & Sons, 2006.
- A. R. Mishra, Fundamentals of Cellular Network Planning and Optimisation: 2G/2.5G/3G...Evolution to 4G. John Wiley & Sons, 2004.
- R. Steele, P. Gould, and C. Lee, GSM, cdmaOne and 3G Systems. John Wiley & Sons, 2000.
- J. Korhonen, Introduction to 3G Mobile Communications. Artech House, 2003.
- H. Holma and A. Toskala, WCDMA for UMTS: Radio Access for Third Generation Mobile Communications. John Wiley & Sons, 2000.
- "HSPA Evolution brings Mobile Broadband to Consumer Mass Markets," Nokia, White Paper, 2008.