

Basic Maple Tutorial

The purpose of this document is to introduce some basic Maple commands, syntax, and programming concepts for Maple V Release 9.5.

1 Some Basic Maple Commands

After you log on to your terminal and access Maple, you will get a window containing a "prompt" `>` where you can immediately begin entering Maple commands. If you wanted to multiply the numbers 247 and 3756, you would enter

```
> 247*3756;
```

$$927732$$

NOTE: Every Maple V command must end with either a semicolon or a colon. If a command is ended with a colon then the calculation will be made but no output will be printed. When a semicolon is used the calculation will be made and the result will be printed.

If a colon were used on the previous command, the result would look like the following:

```
> 247*3756:
```

If the semicolon or colon is omitted from a command, the command will not execute. Maple will respond as follows:

```
> 247*3756
```

Warning, premature end of input

However, because Maple allows full screen editing, you can go back to the line where the problem occurred and correct it.

2 Arithmetic

The basic arithmetic operations of addition, multiplication, division, and exponentiation are recognized in Maple V by the following symbols:

<code>+</code> and <code>-</code>	add and subtract
<code>*</code> and <code>/</code>	multiply and divide
<code>^</code> or <code>**</code>	raise to a power

You can easily add two numbers

```
> 253+7775;
```

$$8028$$

or add two fractions.

```
> 25/27 + 3/51;
```

$$\frac{452}{459}$$

Operations can be performed on previous results by using the percent symbol `%`. The next calculation multiplies the previous result by 23.

```
> 23 * %;
```

$$\frac{10396}{459}$$

Double percent marks refers to the next to last result.

```
> 23 * %%;
```

$$\frac{10396}{459}$$

You can raise a number to a power as follows.

```
> 3^7;
```

$$2187$$

```
> 3**7;
```

$$2187$$

Like other computer algebra systems, Maple uses exact arithmetic. For example, if you divide two integers Maple V will return the exact answer.

```
> 3235/7478;
```

$$\frac{3235}{7478}$$

The Maple function **evalf** will give the following decimal representation.

```
> evalf(%);
```

$$0.4326023001$$

3 Defining Variables and Functions

You can assign a value or a function to a variable by using the colon-equal notation " := "

```
> y := 5;
```

$$y := 5$$

This means that the variable "y" has been assigned the value 5 and will have this value throughout the session until it is assigned another value or its value is unassigned. To display the current contents of a variable, we enter the variable's name followed by a semicolon.

```
> y;
```

$$5$$

We can perform basic calculations with the unassigned variable such as

```
> 4*y + 5;
```

$$25$$

Assigning a variable to itself enclosed in single quotes unassigns the variable.

```
> y := 'y';
```

$$y := y$$

```
> y;
```

$$y$$

There are two ways to define and work with functions. One way is to define the function as an expression. For the function $f(x) = x^2$, this would be done by entering

```
> f := x^2;
```

$$f := x^2$$

This definition can be checked by entering:

```
> f;
```

$$x^2$$

The Maple V procedure **subs** allows expressions such as this to be evaluated.

```
> subs(x=5,f);
```

25

The problem with defining functions as expressions is that standard functional notation, such as $f(5)$, is not understood by Maple V and results in nonsense.

```
> f(x);
```

$x(x)^2$

```
> f(5);
```

$x(5)^2$

If you wish to use standard functional notation, you must enter the function using the minus-greater than notation "->", made by typing the "minus sign" followed by the "greater than" sign. For example:

```
> f := x -> x^2;
```

$f := x \rightarrow x^2$

```
> f(x);
```

x^2

```
> f(5);
```

25

4 Case Sensitivity

Maple is case sensitive - it distinguishes between upper and lower case characters. If you want to factor the polynomial $x^2 + 2x + 3$, you would enter

```
> factor(x^2 - 2*x - 3);
```

$(x + 1)(x - 3)$

However, the following command results in nonsense.

```
> FACTOR(x^2 - 2*x - 3);
```

FACTOR($x^2 - 2x - 3$)

Even one letter not being the correct case returns nonsense.

```
> Factor(x^2 - 2*x - 3);
```

Factor($x^2 - 2x - 3$)

5 Modular Arithmetic and the Greatest Common Divisor

You can easily perform modular arithmetic in Maple using the **mod** function. The **mod** function in Maple is always entered in lower case, not in the upper case MOD form that your textbook uses. The following commands illustrates how this command works:

```
> 25 mod 7;
```

4

```
> 23451 mod 4344;
```

1731

```
> -131 mod 31;
```

24

```
> 135701532790387507512805098775 mod 34219087342098230027431;
```

27347710845934612887298

This command would produce an error, since **mod** is not in lower case.

```
> 25 MOD 7;
```

Error, missing operator or ';

We can also quickly compute multiplicative inverses in modular arithmetic. Suppose we want to compute the multiplicative inverse of $15 \bmod 26$, that is, compute, $15^{-1} \bmod 26$. We enter

```
> 15^(-1) mod 26;
```

7

This command illustrates that the last answer, 7, is the inverse of $15 \bmod 26$.

```
> (15*7) mod 26;
```

1

If the greatest common divisor (gcd) of the number and the modulus is not 1, then Maple will report this as an error as the next answer illustrates:

```
> 4^(-1) mod 26;
```

```
Error, the modular inverse does not exist
```

The **gcd** command can be used to check if the **gcd** of two numbers equals 1 before attempting to calculate the multiplicative inverse. The following commands illustrate its use:

```
> gcd(15, 26);
```

1

```
> gcd(144, 264);
```

24

```
> gcd(132133244323, 2470327403427374230);
```

1

Since the gcd of the last two numbers is not equal to 1, we can compute $132133244323^{-1} \bmod 2470327403427374230$ and check the result.

```
> 132133244323^(-1) mod 2470327403427374230;
```

1620922020081868497

```
> (132133244323 * 1620922020081868497) mod 2470327403427374230;
```

1

6 Representing Messages: Strings

In this class, when we enter sentences to be encrypted or decrypted, we will normally enter them as strings. Strings are always enclosed in double quotes `""`. For example, to store the sentence "MAPLE IS NOT THAT HARD TO USE", we would enter:

```
> sentence := "MAPLE IS NOT THAT HARD TO USE";
```

```
sentence := "MAPLE IS NOT THAT HARD TO USE"
```

7 Algebra

Here are some of the important Maple V algebra commands:

Maple Command	What it does
<i>expand</i>	Expands expressions
<i>simplify</i>	Simplifies expressions
<i>factor</i>	Factors expressions
<i>solve</i>	solves equations

Some examples of these commands follow:

```

> expand( (x^2 + 1) * (x + 1) * (x + 3) );
               4 3 2 2 3
            x  + 4x  + 4x  + 4x + 3

> factor(%);
               2
            (x  + 1)(x + 1)(x + 3)

> sol := solve( x^3 - 9*x^2 + 20*x = 0, x);
               2
            sol := 0, 5, 4

```

The last equation has 3 roots, and we can pick a particular one by entering

```

> sol[1];
0

```

or

```

> sol[3];
4

```

8 Graphing

Maple has the ability to graph functions and equations. The **plot** command is the basic command used for plotting graphs. To demonstrate, suppose we enter the function

```

> f := x^2;
               2
            f := x

```

The following command will graph this function (note the quotes around the sentence in the title option).

```

> plot(f, x = -3..3, y = -5..10, title = "Graph of y = x^2");

```




Figure 1: Maple graph of $y = x^2$

In the previous statement, the first parameter is the function that will be graphed. The second and third parameters are the ranges on the x and y axis over which we want our graph to be plotted.

Maple has the ability to graph multiple graphs. Suppose we enter the function

```

> g := x^3;
               3
            g := x

```

The following commands set up and store the plots for these graphs in the variables p1 and p2. An important fact to remember is to end these commands with a **colon :**. If you end the command with a semicolon, all the data points generated to plot the graph will be displayed.

```
> p1 := plot(f, x = -3..3, y = -9..9, color = blue):
> p2 := plot(g, x = -3..3, y = -9..9, color = green):
```

Using the **display** command, we can graph both functions. The **display** is in a package of routines called plots, which we read into the session by entering

```
> with(plots);
```

Warning, the name `changecoords` has been redefined

[*animate, animate3d, animatecurve, arrow, changecoords, complexplot, complexplot3d, conformal, conformal3d, contourplot, contourplot3d, coordplot, coordplot3d, cylinderplot, densityplot, display, display3d, fieldplot, fieldplot3d, gradplot, gradplot3d, graphplot3d, implicitplot, implicitplot3d, inequal, interactive, listcontplot, listcontplot3d, listdensityplot, listplot, listplot3d, loglogplot, logplot, matrixplot, odeplot, pareto, plotcompare, pointplot, pointplot3d, polarplot, polygonplot, polygonplot3d, polyhedra_supported, polyhedraplot, replot, rootlocus, semilogplot, setoptions, setoptions3d, spacecurve, sparsematrixplot, sphereplot, surfdata, textplot, textplot3d, tubeplot*]

This command now plots both graphs on the same axes.

```
> display([p1, p2], title = "Graphs of  $y = x^2$  and  $y = x^3$ ");
```




Figure 2: Maple graphs of $y = x^2$ and $y = x^3$

9 Help File

You can obtain the help file regarding most Maple functions and statements by entering **? name** where name is the function or statement you desire help on. To see help on `factor`, you can enter:

```
> ? factor
```

Help can also be obtained using the help option on the toolbar.